Lexikon 90-90C-92C

A UNIQUE FAMILY OF OLIVETTI ELECTRIC OFFICE TYPEWRITERS

olivetti

Lexikon 90

Special characteristics.

Ruggedly durable, designed for easy rapid typing and long hours of fatigue-free work, the Lexikon family of electric office typewriters can meet the most demanding requirements of any office application—45 keys, 90 characters. Unique built-in memory feature eliminates these common typing errors before they occur:

Flying Caps
Crow ding or piling
No space betweenwords

Paper centering scale provides precise method of centering paper accurately in carriage.
Line space selection dial adjusts for 1, 1½, 2, 2½ and 3 spaces between lines.
Fingertip size key tops designed for comfort and speed.
Type impact control for quality carbon copies.
13" or 18" carriage with Fixed Writing Point for versatility and high quality impressions.
Writing position indicator shows the operator at a glance exactly at what position carriage is located.
Touch control adjustment accommodates for individual touch: light, medium or firm.
Automatic title centering scale assures accurate title centering.
Memory line finder allows typist to go off line and return accurately.
Touch tabulation centrally located for either hand operation. Decimal tabulation also available.
Keyboard controlled electric margin setting.
Page end indicator informs operator of remaining typing space.

Interchangeable printing element.
Interchangeable fabric or carbon ribbon cartridge.

A versatile standard electric typewriter ideal for dealing with heavy, varied workloads.

The typist's work is simplified by a number of features:
Both the typeface and the type of ribbon used can be changed in a very few moments.
Keyboard controlled line spacing is possible without moving the carriage.
The carriage can be moved back automatically to any point on the typing line without line spacing.
The most suitable typeface—bold or light, Pica or Elite—can quickly be selected for any text. In a matter of seconds, one printing element can be removed and another replaced.

Either a fabric or a polyethylene ribbon can be used, and since it is possible to change from one to the other immediately, the type of ribbon can be matched to the importance of the work. It is simply a matter of taking out one ribbon cartridge, and slipping in another. Both the printing elements and the ribbon cartridges are produced by Olivetti, and can be obtained from your Olivetti representative.

13 or 18 inch carriages are available. The long carriage is designed for statistical and numerical listing applications. Ten-key decimal tabulator also available on the L-90 and L-90 C.

Interchangeable typing element and fixed writing point. Select the typeface suitable for each job. The fixed writing point is easier to locate for making corrections or resuming typing after an interruption.



90C

Interchangeable printing element.
Interchangeable fabric or carbon ribbon cartridge.
Correction feature.

This outstanding new model has all of the features of the standard Lexikon 90 with the addition of the correction feature utilizing a new "dry" lift-off tape.

When using the Lexikon 90C, equipped with an Olivetti correctable poly ribbon and a "dry" lift-off tape, errors may be corrected so that they are not detectable. Upon striking the wrong letter, the operator merely depresses the "Correction Key," causing the machine to backspace, the lift-off tape to move into position, allowing the operator to depress first the incorrect character again and then the correct one. It's simple, easy, and extremely fast. (See illustrated example below.)

The Lexikon 90C allows a typist to produce an absolutely perfect original letter without the slightest indication that any correction was made. Further, our "dry" lift-off tape is easier to handle than the "sticky" type now in use on other correcting machines.

OLIVATTI

OLIV TTI

OLIVETTI

92C

Interchangeable printing element.
Interchangeable fabric or carbon ribbon cartridge.
Correction feature.
Proportional spacing typestyles.

The Lexikon 92C is the most versatile electric office typewriter available today. Not only are all of the features of the Lexikon 90 and 90C incorporated into this fine typewriter, but proportional spacing is also available, with a variety of typestyles.

To change from conventional to proportional spacing simply change the printing element. Normal spacing allows 12 characters per inch of typed material; whereas with proportional spacing, each character occupies a space according to its size. The overall result is a professionally typed document which is easy to read and which resembles a printed document.

The Lexikon 92C is ideal for:

professional work, such as executive correspondence, sales letters, and circulars;

routine office work, where traditional spacing is required;

work on pre-printed forms, where it is necessary to use elite spacing;

documents with constant spacing;

a combination of proportional and constant spacing in one document on various reports. The expansion feature can also be utilized for format effect.

The Lexikon 92C is also available with an OCR type font which is compatible with ANSI standards.

Correction Key — Typing errors can be corrected easily and quickly, simply by depressing the correction key, which backspaces the carriage and brings the "lift-off" tape into position.

Quick change ribbon cartridge. Ribbon change is easy, clean and quick: can use either fabric or carbon ribbon.



Lexikon

Interchangeable printing element typestyles.

The following are but a few of our available typestyles. An Olivetti representative would be pleased to show you the complete selection.

Typestyles for 10-Pitch model:

This is a sample of Pica.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
!@#$%¢&*()_+¼[:",.?
abcdefghijklmnopqrstuvwxyz
1234567890-=½];',./

This is a sample of Esteem Pica.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
!@#$%¢&*()_+¼":?.,
abcdefghijklmnopqrstuvwxyz
1234567890-=½';/.,

This is a sample of Esquire.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
!@#$%¢&*()_+¼":?.,
abcdefghijklmnopqrstuvwxyz
1234567890-=½';/.,

Typestyles for 12-Pitch model:

This is a sample of Elite.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
!@#$%¢&*()_+¼[:",.?
abcdefghijklmnopqrstuvwxyz
1234567890-=½];',./

This is a sample of Esteem Elite.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
!@#$%¢&*()_+¼":?.,
abcdefghijklmnopqrstuvwxyz
1234567890-=½';/.,

This is a sample of Esquire.
ABCDEFGHIJKLMNOPQRSTUVQXYZ
!@#$%¢&*()_+¼[:"?,.
abcdefghijklmnopqrstuvwxyz
1234567890-=½];',./

Proportional spacing typestyles:

This is a sample of Kent.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
!@#$%¢&*()_+[¼":?.,
abcdefghijklmnopqrstuvwxyz
1234567890-=]½';/.,

This is a sample of Tempo.
ABCDEFGHIJKLMNOPQRSTUVWXYZ
!@#$%¢&*()_+[¼":?.,
abcdefghijklmnopqrstuvwxyz
1234567890-=]½';/.,

Lexikon

Outstanding features.

Lateral guide: easily set for specific paper size.
Paper bail with auxiliary feed rollers: hold paper securely.
Paper bail scale: shows writing position.
Paper release lever.
Push in variable line spacer.
Carriage release levers.
Margin bypass to type outside the margin.
Large carriage return key.
Keyboard controlled standard and decimal tabulation.
Tabulation clear key clears individually and collectively.
Repeat line spacing; repeat forward spacing; repeat back spacing.
Shift keys and shift lock.
Hinged top cover for easy access to change ribbon cartridge or printing element.
Card holder with aligning scales and paper deflector.
Horizontal half-spacing.
Vertical half-spacing.
Repeat typing keys: underscore and hyphen, x, period, plus and equals.
Reverse tabulation.
Removable platen.
Skip tabulation.
Detachable cord: no interference with electronic equipment.
Interchangeable printing element.
Index key: line spaces without carriage return.
Express backspace.
Interchangeable fabric or carbon ribbon cartridges.
Correction feature.

Physical characteristics.

Model	Paper Capacity	Maximum Writing Line	Overall Carriage Width	Machine Base Width
13″	13.25″	12.75″	19.8″	17″
18″	18″	17.5″	24.6″	17″

Model	Overall Height	Overall Depth	Net Weight Pounds	Volume Cubic Feet
13″	7.8″	17.4″	52	3.58
18″	7.8″	17.4″	56	4.24

Motor characteristics.

AC Single Phase Voltage	Cycle
115	60
220	50

Manufactured in Harrisburg, Pennsylvania, U.S.A.

Olivetti Corporation of America
500 Park Avenue, New York, N.Y. 10022

olivetti

79008 PRINTED IN USA 9/76